ELSEVIER

Colloids and Surfaces
A: Physicochemical and Engineering Aspects 153 (1999) 633–636

COLLOIDS AND SURFACES A

# Contents of Volume 153

*Vol. 153 Nos. 1–3*

Preface ..... 1

*Plenary lectures*

Some challenging applications of latex technologies
S. Muroi (Tokyo, Japan) ..... 3

Recent advances and challenges in the synthesis of polymer colloids
A. Guyot (Villeurbanne, France) ..... 11

*Polymerization for particle preparation*

Kinetics of microemulsion polymerization of styrene
K. Suzuki, M. Nomura (Fukui, Japan) and M. Harada (Kyoto, Japan) ..... 23

Preparation and characterization of MMA-BA-DMAEMA terpolymer latex
Z.-Q. Yu, B.-G. Li, B.-F. Li and Z.-R. Pan (Hangzhou, China) ..... 31

Miniemulsion polymerization
F.J. Schork, G.W. Poehlein, S. Wang, J. Reimers, J. Rodrigues and C. Samer (Georgia, U.S.A.) ..... 39

Polymerizable microemulsions: some criteria to achieve an optimal formulation
F. Candau, M. Pabon and J.-Y. Anquetil (Strasbourg, France) ..... 47

Mathematical modeling of dispersion copolymerization
J.M. Sáenz and J.M. Asua (San Sebastián, Spain) ..... 61

The use of polymers in heterophase polymerizations
K. Tauer, H. Müller (Teltow, Germany) L. Rosengarten (Dormagen, Germany) and K. Riedelsberger (Teltow, Germany) ..... 75

Role of alkali-soluble random copolymer in emulsion polymerization
D.-Y. Lee, J.-H. Kim (Seoul, Korea) and T.-I. Min (Bethlehem, PA, USA) ..... 89

Block copolymers as polymeric surfactants in latex and microlatex technology
G. Riess (Mulhouse, France) ..... 99

Latexes and microspheres by ring-opening polymerization. Polymerization of cyclic esters
S. Slomkowski, S. Sosnowski and M. Gadzinowski (Lodz, Poland) ..... 111

Molecular weight distribution in non-linear emulsion polymerization
H. Tobita and M. Nomura (Fukui, Japan) ..... 119

Importance of grafting in the emulsion polymerization of MMA using PVA as a protective colloid. Effect of initiators
T. Okaya, A. Suzuki and K. Kikuchi (Hikone, Japan) ..... 123

A kinetic investigation of styrene emulsion polymerization with surface active polyelectrolytes as the emulsifier. II: effects of molecular weight and composition
S. Kato (Fukui, Japan) K. Sato, D. Maeda (Kawasaki, Japan) and M. Nomura (Fukui, Japan) ..... 127

Preparation and applications of polymeric microspheres having active ester groups
K. Nagai, T. Ohashi, R. Kaneko and T. Taniguchi (Yonezawa, Japan) ..... 133

Investigation of seeded emulsion polymerization using a calorimetric method: effects of the surface charge density on polymerization rate and average number of radicals per particle
I.-W. Cheong and J.-H. Kim (Seoul, Korea) ..... 137

Evaluation of heterophase polymerization by means of reaction calorimetry
K. Tauer, H. Müller, C. Schellenberg (Teltow-Seehof, Germany) and L. Rosengarten (Dormagen, Germany) ..... 143

Thermodynamics for the preparation of micron-sized, monodispered highly monomer-"Adsorbed" polymer particles utilizing the dynamic swelling method
T. Yamashita and M. Okubo (Kobe, Japan) ..... 153

Preparation of carbon black dispersion with enhanced stability by aqueous copolymerization of a polymerizable surfactant
K. Nagai, Y. Igarashi and T. Taniguchi (Yonezawa, Japan) ..... 161

Study of particle growth by seed emulsion polymerization with counter-charged monomer and initiator system
S. Omi, K. Fujiwara, M. Nagai, G.-H. Ma (Tokyo, Japan) and A. Nakano (Toyama, Japan) ..... 165
Aqueous solution behavior of amphiphilic poly(ethylene oxide) comblike polymer
S. Kawaguchi and K. Ito (Toyohashi, Japan) ..... 173
Micron-size uniform poly(methyl methacrylate) particles by dispersion polymerization in polar media. IV. Monomer partition and locus of polymerization
K. Cao, B.-G. Li and Z.-R. Pan (Hangzhou, China) ..... 179
Preparation of polyphenol particles by peroxidase-catalyzed dispersion polymerization
H. Uyama, (Kyoto, Japan) H. Kurioka (Sendai, Japan) and S. Kobayashi (Kyoto, Japan) ..... 189
Dispersion polymerization of methyl methacrylate using macro-azo-initiator
K. Nakamura, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) ..... 195
Photochemical fine particle formation in the gas phase from acrolein by two-photon process
H. Morita, K. Semba, T. Umezawa and M. Kuwamura (Chiba, Japan) ..... 203
Single stage polymerization technique for producing monodisperse micron-size polymer particles
S. Gu, T. Mogi and M. Konno (Sendai, Japan) ..... 209
Toner prepared by the direct polymerization method in comparison with the pulverization method
J. Hasegawa, N. Yanagida and M. Tamura (Kawasaki, Japan) ..... 215
Surface properties of monodisperse poly(acrylamide-*co*-acrylic acid) hydrogel microspheres prepared by a membrane emulsification technique
S. Nagashima (Tokyo, Japan) M. Koide (Kanagawa, Japan) S. Ando, K. Makino, T. Tsukamoto and H. Ohshima (Tokyo, Japan) ..... 221
Super-fine particles of poly(styrene-*co*-methyl methacrylate) by dispersion copolymerization
S. Kiatkamjornwong, S. Apiwattanon (Bangkok, Thailand) M. Rikukawa and N. Ogata (Tokyo, Japan) ..... 229

*Design and Characterization of Structured Particles*

Morphology design and characterization of an IPN-containing structured latex particles for damping applications
M.S. El-Aasser, R. Hu, V.L. Dimonie and L.H. Sperling (Bethlehem, U.S.A.) ..... 241
Non-equilibrium particle morphology development in seeded emulsion polymerization. 1: Penetration of monomer and radicals as a function of monomer feed rate during second stage polymerization
J. Stubbs, O. Karlsson (Durham, NH, U.S.A.) J.-E. Jönsson (Lund, Sweden), E. Sundberg, Y. Durant (Evanston, U.S.A.) and D. Sundberg (Durham, U.S.A.) ..... 255
Influence of microstructure on the dynamic mechanical behavior of polymeric composites containing structured latexes
J.H. An, J.M. Park (Kyunggi-do, South Korea) and J.H. Kim (Seoul, South Korea) ..... 271
Oil–acrylate hybrid emulsions, mini-emulsion polymerization and characterization
E.M.S. van Hamersveld, J.J.G.S. van Es (Eindhoven and Wageningen, The Netherlands) and F.P. Cuperus (Wageningen, The Netherlands) ..... 285
Synthesis of micron-sized monodispersed, core-shell composite polymer particles by seeded dispersion polymerization
M. Okubo and J. Izumi (Kobe, Japan) ..... 297
Synthesis of flower type microgels
R. Saito, Y. Akiyama, M. Tanaka and K. Ishizu (Tokyo, Japan) ..... 305
Cross-linked hollow polymer particles by emulsion polymerization
N. Itou, T. Masukawa, I. Ozaki, M. Hattori and K. Kasai (Yokkaichi, Japan) ..... 311
Fluoric/acrylic composite polymer particles
K. Nishiwaki and M. Katou (Yokkaichi, Japan) ..... 317
Particle size control of PVC
Y. Suenaga (Osaka, Japan) and A. Akimoto (Yokkaichi, Japan) ..... 321

*Nomenclature*

In the name of particle formation
R. Arshady (London, U.K.) ..... 325

*Functional Microspheres*

Sodium dodecyl sulfate binding to poly(*N*-isopropylacrylamide) microgel latex studied by isothermal titration calorimetry
G. Wang, R. Pelton and J. Zhang (Hamilton, ON, Canada) ..... 335
Amino-containing cationic latex-oligodeoxyribonucleotide conjugates: application to diagnostic test sensitivity enhancement
T. Delair, F. Meunier, A. Elaïssari, M.-H. Charles and C. Pichot (Lyon, France) ..... 341

Interaction between bilayer membranes and latex
A.M. Carmona-Ribeiro and M. de Moraes Lessa (São Paulo, Brazil) ..... 355
Functionalization of poly(methylstyrene) latex particles in an emulsifier-free system
P. Li, J. Xu and C. Wu (Hong-Kong, People's Republic of China) ..... 363
Preparation of polymer emulsions using a poly(vinyl alcohol) as a protective colloid
M. Nakamae, K. Yuki, T. Sato and H. Maruyama (Kurashiki, Japan) ..... 367
Synthesis of monodisperse polymeric microspheres including polymide prepolymer by using SPG emulsification technique
S. Omi, A. Matsuda, K. Imamura, M. Nagai and G.-H. Ma (Tokyo, Japan) ..... 373
Preparation of uniform poly(lactide) microspheres by employing the Shirasu Porous Glass (SPG) emulsification technique
G.H. Ma, M. Nagai and S. Omi (Tokyo, Japan) ..... 383
Post-grafting of polymer with controlled molecular weight onto silica surface by termination of living polymer cation with terminal amino groups of dendrimer-grafted ultrafine silica
S. Yoshikawa, T. Satoh and N. Tsubokawa (Niigata, Japan) ..... 395
Preparation of fine composite particles composed of inorganic solid powders and organic polymers by utilizing liquid–liquid dispersion
Y. Taguchi, N. Saito, I. Kimura and M. Tanaka (Niigata, Japan) ..... 401
Penetration / release behaviors of various solvents into / from micron-sized monodispersed hollow polymer particles
M. Okubo, H. Minami and Y. Yamamoto (Kobe, Japan) ..... 405
The relationship of interaction forces in the protein adsorption onto polymeric microspheres
J.-Y. Yoon, J.-H Kim and W.-S. Kim (Seoul, South Korea) ..... 413
Refolding of protein using thiol-carring latex particles
H. Shimizu, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) ..... 421
Adsorption of enzymes onto submicron-sized temperature sensitive composite polymer particles and its activity
M. Okubo and H. Ahamad (Kobe, Japan) ..... 429
Preparation of thermo-sensitive magnetic microspheres and their application to bioprocesses
A. Kondo and H. Fukuda (Kobe, Japan) ..... 435
Design of multi-layered nanoparticles as a DNA carrier
A. Maruyama, T. Ishihara (Yokohana, Japan), J.-S. Kim, S.W. Kim (Salt Lake City, Utah, U.S.A.) and T. Akaike (Yokohama, Japan) ..... 439
DNA-carrying latex particles for DNA diagnosis 3. Detection of point mutant DNA using an indirect labeled probe
M. Hatakeyama, S. Iwato, H. Hanashita, K. Nakamura, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) ..... 445

*Colloidal Dispersion Properties*
Characterizing the surface of latex particles with a microcollider
T. G. M. van de Ven and X. Wu (Montreal, Canada) ..... 453
Electrorheology of whisker suspensions
Y. Otsubo (Chiba-shi, Japan) ..... 459
Measurement of size and number concentration of polystyrene particles
M.-a. Kitajima and Y. Fukai (Tsukuba, Japan) ..... 467
Evaluation of water on latex surface by using differential scanning calorimeter
O. Kurita, R. Fuhjita, O. Isikawa and K. Tsuruoka (Yokkaichi, Japan) ..... 471
Dynamic mobility of spherical colloidal particles in concentrated suspensions: moderately thick double layers
H. Ohshima (Tokyo, Japan) ..... 477
UV curable polyurethane-based microspheres
M. Hirose, J. Zhou and F. Kadowaki (Tokyo, Japan) ..... 481
AFM observation of polymer gels incorporated with microspheres
H. Suzuki and A. Suzuki (Yokohama, Japan) ..... 487
Acoustic spectroscopy as a technique for the particle sizing of high concentration colloids, emulsions and suspensions
F. Alba (Murray, UT, U.S.A.), G.M. Crawley, J. Fatkin, D.M.J. Higgs and P.G. Kippax (Worcestershire, UK) ..... 495

*Particle-Assemblies and Latex Films and their Applications*
Lens functions of polymer microparticle arrays
T. Hirai and S. Hayashi (Ueda, Japan) ..... 503
Kinetic analyses of colloidal crystallization in microgravity — Aircraft experiments
T. Okubo, A. Tsuchida, T. Okuda, K. Fujitsuna (Gifu, Japan) M. Ishikawa T. Morita and T. Tada (Tokyo, Japan) ..... 515

Brownian deposition kinetics of latex particles onto glass and polystyrene
R.M. Fitch and J. Clarke (El Parado, NM, U.S.A.) ..... 525
Void closure and interdiffusion in latex film formation by photon transmission and fluorescence methods
Ö. Pekcan (Istanbul, Turkey) and E. Arda (Edirne, Turkey) ..... 537
Microdeformation in core-shell particle modified polymethylmethacrylates
C.J.G. Plummer, P. Béguelin and H.-H. Kausch (Lausanne, Switzerland) ..... 551
Dual-phase polymer electrolyte prepared from polar and non-polar latices
T. Ichino (Tokyo, Japan) ..... 567
Bridging and depletion flocculation of synthetic latices induced by polyelectrolytes
K. Furusawa, M. Ueda and T. Nashima (Ibaraki, Japan) ..... 575
Film formation from reactive latex particles: influence of intraparticle crosslinking on mechanical properties
Y.-J. Park and J.-H. Kim (Seoul, South Korea) ..... 583
Synthesis of microgels and their application to coatings
K. Ishii (Osaka, Japan) ..... 591
Synthesis and coating application of waterborne fluoroacrylic-polyurethane composite dispersions
H. Tanaka, Y. Suzuki and F. Yoshino (Osaka, Japan) ..... 597
Cell response to micropatterned surface covered with polymeric microspheres
M. Miyaki, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) ..... 603
Preparation of a heterogeneous polymer film from the blend emulsion by the stepwise heterocoagulation method
M. Okubo and Y. Lu (Kobe, Japan) ..... 609
Preparation and properties of polymer microspheres dispersed in a silica gel film
M. Adachi, Y. Suzuki, N. Kashiwagi, T. Isobe and M. Senna (Yokohoma, Japan) ..... 617

*Calendar* ..... 625
*Author index* ..... 627
*Subject index* ..... 629
*Volume contents* ..... 633